



Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	I DECEMBER
Contact information *	Nadia Martin (USA)	LEXMARK
		TIME THE TENTON
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Single Function Color Laser Printer		
Commercial name *	Lexmark C544n		
Model number *	C544n		
Issue date *	9/12/2008		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	C544n		
Issue date *	9/12/2008	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	C544n		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Market requirements - Environmental conscious design Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, re		,			_		
P7.1*		o be treated separately	/ are easily separable	\square	$\overline{\Box}$			
P7.2*	Plastic materials in covers/housing have no surface coating.			X	Ħ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.							
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				一百			
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		一百	$\overline{\Box}$		
P7.6*	Labels are easily	separable. (This requi	irement does not apply to safety/regulatory labels).					
	Product lifetime							
P7.7*			ssor, memory, cards or drives	\boxtimes	Щ.			
P7.8*		e done using commonl	f			Ц_		
P7.9.		available after end of p				<u>Ц</u>		
P7.10		ole after end of produc	-	·				
P7.11*		bstance requirements ousing material type:	S					
F7.11	Material type: A	•	Material type: HIPS Material type: PC/ABS					
P7.12*	Electrical cable in	nsulation material of po	ower cables are halogen free (including PVC)		\boxtimes			
P7.13*			gnal cables are halogen free (including PVC)					
P7.14		plastic parts >25g are						
P7.15		• • • •	onents) >25g are halogen free		X	Ħ		
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:					
P7.17	Chemical specific ISO 1043-4: FR(ants in printed circuit boards (without components) >25g according	\boxtimes				
P7.18		ed material in plastic pa						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)							
P7.20	Light sources are free from mercury							
D 0		d specify: Number of la	amps: and max. mercury content per lamp: mg			_		
P8.1*	Batteries Product does not	t contain batteries defir	ned as hazardous according to 91/157/EEC					
P8.2*	1 10000 1000 1101	contain battorioo doiii	Battery chemical composition:					
P8.3	Ratteries meet th	ne requirements of the	· · · · · · · · · · · · · · · · · · ·					
P9	Batteries meet the requirements of the following voluntary program/s:							
9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen	ce/	n.a.		
0	* 230 Volts		*	Standar	d	N 1		
On-max	W		* Bullette :	***				
On- normal	* 500 W	to	* Printing	*Compa	iny rd	Ш		
On-idle	36 W	to	* Ready Mode	*Energy Star TE	/			
Save 1	* 18 W	to	* Power Saver Mode (Sleep)	*Energy Star TE	/			
Save 2	W	to	*	*		X		
Off 1	* 0 W	to	* Plugged in Off Mode	*Energy Star TE				
Off 2	W	to	*	*		\boxtimes		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*				
TEC	* 216 kWh/y Typ	pical Energy Consump	tion per year	*Energy Star TE				
P9.2*			tion is provided with the product.	\boxtimes				
P9.3	The product mee ENERGY STAR Others specify:	0, ,	nents of the following voluntary program/s:					

Model number *	C544n		
Issue date *	9/12/2008	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a						
P10	Emissions						
	Naise emission	Declared according to ISO 0206					
		- Declared according to ISO 9296					
P10.1	Mode Mode description Declared Declared A-weighted						
	A-weighted sound pressure level L _{pAm} (dB) sound power Operator position Bystander position			L _{pAm} (dB) ander positions			
			level L _{WAd} (B)	Operator position Byst			
				Desktop (only	if product is not		
				or Deskside ope	erator attended)		
	Idle	* Idle/Ready	* Inaudible	Inaudible			
	0	* O'males Manage Palation	* 0.4	40			
	Operation	* Simplex Monochrome Printing	* 6.4	49		Ш	
	Other mode						
	Measured accord	ding to: SO 7779 ECMA-74	= 0.44 = 4		,		
P10.2	The product mes	Other (only if not covered ets the acoustic noise requirements of the fo		n L _{pAm} measurement distance	m)		
P10.2		sions from printing products	bilowing voluntary p	orogram/s:			
P10.3*		according to ECMA-328 standard, other	oposifu: DAL 117	422			
1 10.0	The test covers:					ш	
P10.4		ets the chemical emission requirements of the					
1 10.4	Electromagnetic emissions						
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:						
P11	Consumable materials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12	Ergonomics for computing products						
P12.1*	and EN-ISO13406-2 for flat panel displays.						
P12.2*		board meets the requirements of ISO 9995				\boxtimes	
P12.3*	The computer input device meets the requirements of ISO 9241-9.						
P13	Packaging and documentation Product packaging material type(s): Corrugated weight (kg): 2.817						
P13.1*	Product packagir	ng material type(s): Polyethylene Foam	weight (kg): 2 weight (kg): 0	.400			
P13.2*	Product packaging material type(s): <i>High Density Polyethylene</i> weight (kg): <i>0.277</i> Product plastic packaging is halogen free (including PVC)						
P13.3*	User and product documentation do not contain chlorine bleached paper					\vdash	
P13.4*	User and product documentation contain recycled paper					\vdash	
P14	Additional information						
	Additional comp	pany information and company environn				om	
· · · · · · · · · · · · · · · · · · ·	Specific printer	and supply item recycling information t					
	Lexmark Sweden is connected to REPA and El-kretsen						

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.