



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information * e-mail address	Drew Zande Lexmark International 740 West New Circle Road, Bldg. 1 Lexington, KY 40550 dzande@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Single function color laser device			
Commercial name *	Lexmark CS720de, Lexmark CS720dte, Lexmark CS727de			
Model number *	CS720de, CS720dte, CS727de			
Issue date *	January 25, 2016 (Revised June 1, 2017)			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	CS720de, CS720dte, CS727de	Logo	N
Issue date *	January 25, 2016 (Revised June 1, 2017)		Lexmark

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
DO	REACH Program Manager, HOD9237, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries		_	_
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega		$\overline{\Box}$	
1 2.2	reference)		ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):	_		
	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-			
P3.2*	conformity.html The product complies with the Eco design requirements for energy-related products,		$\overline{}$	
F 3.2	(see legal reference).		Ш	Ш
	Required information is; given in item P15 or added to this document,			
	available at (add URL): http://csr.lexmark.com/eu_regulations.shtml			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	\square		
	legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀	$\overline{\Box}$	
]	hexavalent chromium by weight of these together.	- 🔼	ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
P5.3*	used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea	N 🔼		
F 5.5	Protocol (see legal reference).	al 🔀	Ш	Ш
]	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
<u> </u>				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CS720de, CS720dte, CS727de	Logo	[™
Issue date *	January 25, 2016 (Revised June 1, 2017)		Lexmark

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
5= 10	Material type: PC/ABS, PC/ABS GF20 Material type: Steel			
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	i		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	,	\boxtimes	
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7.47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	, <u> </u>		ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	i		
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR17,	\boxtimes		
	FR40, FR30			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):		П	
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a 	l		
	percentage of total plastic by weight) is <i>Up to 53</i> %.			
	or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	CS720de	, CS720dte, CS727de	!		Logo		TM.
Issue date *	January	ary 25, 2016 (Revised June 1, 2017)					'K
Product enviro	Product environmental attributes - Market requirements (continued) Requirement me						met
Item			•	<u> </u>			n.a.
		tance requirements (
P7.21* Bioba	sed plastic ma	aterial content is used	in the product (See	NOTE B7):			
a) (total plastic by weight) is %.						
	he weight of	the biobased plastic m	aterial is g.				
		ree from mercury, i.e. lospecify: Number of lam		np. imum mercury content per l	amp: ı	mg 🔲 🔲	
P8 Batter	ies						
P8.1* Batter	y chemical co	mposition: Lithium Ma	anganese Dioxide	(LiMnO2)			
		ion (See NOTE B8)					
P9.1 For th	e product the	following power levels	or energy consum	ptions are reported:			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC		Reference/St modes and te		
Sleep mode for El STAR® Operation (OM) products		W	W	W			
Standby/off mode ENERGY STAR C Mode (OM) produ	perational	W	W	W			
TEC value for ENI TEC products	ERGY STAR	1.8 kWh/week	1.83 kWh/week	1.84 kWh/week	Energy Star	I E V2.0	
(TEC= Typical En Printing	ergy	466 W	443 W	433 W	Corporate S	tondord	
Ready Mode 1		76 W	60 W		Energy Star		Щ
Ready Mode 2		43 W	39 W		Energy Star		
Sleep		2.28 W	2.29 W		Energy Star	1 E V2.0	Ш
Hibernate		0.11 W	0.12 W	0.17 W	IEC 62301		
Off		0.07 W	0.08 W	0.13 W	IEC 62301		
External Power Su	upply Efficiend	cy Level (International	Efficiency Marking	Protocol) *:			
Print/Scan Speed	*	40 images per minute			ISO 24734		
Default time to en	ter energy sa	ve mode: 1 minutes			Energy Star	1 E V2.0	
P9.2* Inform	ation about th	he energy save functio	n is provided with t	he product.			
P10 Emissions							
		Declared according to	ISO 9296 (See NO	,		<u> </u>	
P10.1 Mode	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						
Idle		Idle / Ready					
Opera		Duplex Monochrome	_				
		Simple Monochrome		6.6			
Measi	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						
Other (only if not covered by Edivin-14)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	number * CS720de, CS720dte, CS727de		Lo	go				■ TM		
Issue date	*	January 25, 2016 (Revised June 1, 2017)					Lexi	ma	rk	
Product	environ	mental attributes	- Market requirements (con	tinued)			Re	equire	ment	met
Item								Yes	No	n.a.
	Chemic	al emissions from p	printing products (See NOTE B	310)						
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-UZ 171									
P10.3		emission rate (operat								
	TVOC 1	10	Ozone <0.28 (LOQ) Dust 1.91	•		·	Q)			
	Ink devi	ces:	Dust S	Styrene Benz	zene	TVOC				
	Note: co	ompliance with maxim	num emission rates in eco labels	to be declared in P1	4.					
P11	Consur	nable materials for	printing products							
P11.1*	A Safety	y Data Sheet (SDS) is	s available for the ink/toner prepa	aration, even if not le	gally required	d (see P4	l.3).	\boxtimes		
P11.2*	Paper of EN 122		umer recycled fibers can be us	sed, provided that it	meets the i	equireme	ents of			
P11.3*	2-sided	(duplex) printing/copy	ying is an integrated product fun-	ction.				\boxtimes		
P11.4*	The pro	duct is delivered to e	nd-user with default auto-duplex	enabled.				\boxtimes		
P13	Packaging and documentation									
P13.1*	Product packaging material type(s): Corrugated weight (kg): 4.598 Product packaging material type(s): Plastic - HDPE weight (kg): 0.209 Product packaging material type(s): Plastic LDPE Expanded weight (kg): 1.07 Plastic, Mix of resins 0.05804 Plastic PP 0.065									
P13.2*	Product plastic primary packaging is free from PVC.									
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: Recycled content >25% %									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Elemen	chlorine-free tal chlorine-free sed chlorine-free								
P14		ary programs:								
P14.1	The pro	duct meets the requir	rements of the following voluntar	y program(s):						
	ENERGY STAR® Criteria version: 2.0 Date: Oct. 2014 Product category: Imaging Equipment Eco-label: Blue Angel Criteria version: RAL-UZ 171 Date: Jul. 2012 Product category: Office Equipment with printing function									
D45	Eco-lab		Criteria version:	Date:	Product cate	egory:				
P15		nal information (See	· · · · · · · · · · · · · · · · · · ·		- ul ! 4 - 4		· The		<u>. </u>	
	properl P2.3 - 1	ly labeled with the Vi The battery containe	d within this product should b VEEE disposal symbol and ins d within this product meets th designed for easy removal by	tructions for such a e exception listed.	lisposal is li The battery	sted in the	he prod	uct Use	r's G	

P5.2 - The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when

they are >25g

P7.14 - A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.

P7.20 - Per IEEE 1680.2 PCR calculation

P10.3 - Color values above, monochrome values are n/a

P13.1 - Weights listed for model CS720de

NOTE B10 A Guidance document on Chemical Emissions is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1