



## Product environmental attributes - THE ECO DECLARATION

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXMARK
		TM
Internet site *	www.lexmark.se/	
	www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Single Function Mono Laser Printer		
Commercial name *	Lexmark E460dw		
Model number *	E460dw		
Issue date *	6-09-2009		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	E460dw		
Issue date *	6-09-2009	Logo	LEXMARK

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>EU</i> : Regulation ( <i>EC</i> ) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)	Ш		
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$	$\Box$	
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	E460dw			
Issue date *	6-09-2009	Logo	]	EXMARK

Product environmental attributes - Market requirements - Environmental conscious design  Requirement met								
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design		anon regarding each normal seriound and or rem			11101		
D7.4*	Disassembly, re		7					
P7.1*		o be treated separately			Щ			
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*			erial or of easily separable materials.		Щ			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*			rement does not apply to safety/regulatory labels).					
P7.7*	Product lifetime		anne mannari annda ar drivas					
P7.7	Upgrading can be done e.g. with processor, memory, cards or drives  Upgrading can be done using commonly available tools							
P7.8								
		available after end of pr						
P7.10		ole after end of product						
P7.11*		bstance requirements ousing material type:						
1 7.11	Material type: At		Material type: HIPS Material type: PC/ABS					
P7.12*			ower cables are halogen free (including PVC)		$\boxtimes$			
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)		$\overline{\boxtimes}$	T		
P7.14	All cover/housing	plastic parts >25g are	halogen free		Ħ	Ħ		
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free		$\overline{\mathbf{X}}$			
P7.16	Chemical specific	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:	X	Ħ			
	FR(40)							
P7.17	Chemical specific ISO 1043-4: FR(		ants in printed circuit boards (without components) >25g according		Ш			
P7.18		ed material in plastic pa						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,							
P7.20		60/61 (67/548/EEC) free from mercury			_			
1 7.20		d specify: Number of la	amps: and max. mercury content per lamp: mg		ш	Ш		
P8	Batteries	, ,	, , , , , ,					
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC							
P8.2*	Battery chemical composition: LiMnO2 (Lithium Manganese  Dioxide)							
P8.3	Batteries meet the requirements of the following voluntary program/s:							
P9	Energy consumption							
9.1			els or energy consumptions have been measured:					
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Referen		n.a.		
On mov	* 230 Volts		*	Standard	d			
On-max On-	* <b>500</b> W	to	* Printing	*Comps				
normal	300 W	10	Filliang	*Compa Standar		Ш		
On-idle	14 W	to	* Ready Mode	*Energy	/			
Save 1	* 13 W	to	* Power Saver Mode (Sleep)	Star TE				
			r circi carci meac (cicop)	Star TE	С			
Save 2	W	to	* Discount in Off Hards	* -				
Off 1	* <b>0</b> W	to	* Plugged in Off Mode	*Energy Star TE				
Off 2	W	to	*	*				
No load	* W		External power supplies/charger plugged in but disconnected from the product	*				
TEC	* <b>172</b> kWh/y Typ	oical Energy Consumpt		*Energy Star TE				
P9.2*	Information about the energy save function is provided with the product.							
P9.3	•	• • •	nents of the following voluntary program/s:					
	ENERGY STARO Others specify:	® MOU						

Model number *	E460dw		
Issue date *	6-09-2009	Logo	LEXMARK

Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.						
P10	Emissions						
	Noise emission	- Declared according to ISO 9296					
	Noise emission	- Declared according to 180 9296					
P10.1	Mode	Mode description	Declared	Declared A-wei	ighted		
	A-weighted sound pressure level L <sub>pAm</sub> (dB)						
			sound power	Operator position By	stander positions		
			level L <sub>WAd</sub> (B)				
					ly if product is not perator attended)		
				or Deskside	' '		
	Idle	* Idle	* Inaudible	Inaudibl	e		
	Operation	* Simplex Monochrome Printing	* 6.7	53			
	Other mode	Duplex monochrome Printing	6.6	52		-	
	Measured accord	I ding to: X ISO 7779 ECMA-74					
	Weasured accord		d bv ECMA-74 witl	n L <sub>pAm</sub> measurement distand	ce m)		
P10.2	The product mee	ets the acoustic noise requirements of the fo					
	Chemical emiss	sions from printing products		_			
P10.3*	Test performed a	according to ECMA-328 standard, other	specify: RAL-UZ-	122			
	The test covers:						
P10.4	The product mee	ets the chemical emission requirements of the			2 🛛		
	Electromagnetic emissions						
P10.5	program/s:						
P11	Consumable materials for printing products  A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required						
P11.1*	A Material Safety (see P4.3).	<ul> <li>Data Sheet (MSDS) is available for the ink</li> </ul>	/toner preparation	, even if not legally required	I 🔲 🗌	Ш	
P11.2*	Paper containing	recycled fibres that meets the requirements	s of EN12281 can	be used.			
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.				
P12		computing products					
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays			
P12.2*		board meets the requirements of ISO 9995 a				$\boxtimes$	
P12.3*		put device meets the requirements of ISO 92	241-9.			$\boxtimes$	
P13	Packaging and						
P13.1*	Product packagir	ng material type(s): <b>Corrugated</b> ng material type(s): <b>Polyurethane Foam</b>	weight (kg): 1 weight (kg): 0				
		ng material type(s): <i>Folytretriane Foath</i>					
		styrene = 0.227 kg					
P13.2*		ackaging is halogen free (including PVC)					
P13.3*		t documentation do not contain chlorine blea	ached paper				
P13.4*	User and product documentation contain recycled paper						
P14	Additional infor						
		pany information and company environm				om	
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen						
		s used within this product are non-hazar	dous and are exe	empted from including ren	noval instruction	s in	
	user's manuals per Article 11 of the 2006/66/FC Rattery Directive						

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.