

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	IDVALADIZ
Contact information *	Nadia Martin (USA)	LEXM ARK ™
Internet site *	www.lexmark.se / www.lexmark.com	*
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Multi Function Color Laser Printer			
Commercial name *	Lexmark X792dtfe, Lexmark X792dtme, Lexmark X792dtpe, Lexmark X792dtse			
Model number *	X792dtfe, X792dtme, X792dtpe, X792dtse			
Issue date *	10/13/2010			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	X792dtfe, X792dtme, X792dtpe, X792dtse		
Issue date *	10/13/2010	Logo	EXMARK.

Product	uct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\square		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See		_	
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.		_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		_	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\boxtimes		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)		_	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm ² /week (see legal reference).			ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager, H0D9237, 740 W. New Circle Rd., Lexington, KY 40550		_	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square		
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		Ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\square		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, med			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square	П	
P3.2*			∺	-
P3.2	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes	Ш	Ш
D0.0*			$\overline{}$	$\overline{}$
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		Ш	Ш
D0 4*	with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).		$\overline{}$	$\overline{}$
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\square		
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\overline{\boxtimes}$	ī	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			ш
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		+	-#-
1 0.0	Protocol (see legal reference).	ıl 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	ımber *	X792dtfe, X792dtme, X792dtpe, X792dtse					
Issue date *		10/13/2010	Logo	LEXM	ARK	•	
) II (I)	M	
Product	environ	mental attributes - Market requirements - Environmental conscious	desian	Require	ment	met	
Item		atory to fill in. Additional information regarding each item may be found under P14.	<u> </u>	Yes	No	n.a.	
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			
P7	Design						
P7.1*	Disasse Porte the	mbly, recycling					
P7.1*							
		-			 		
P7.3*		arts >100g consist of one material or of easily separable materials.			井		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		<u>Ц</u>	Ц.	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).					
D7 7*	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>		
P7.8*		ng can be done using commonly available tools				Ц.	
P7.9.	Spare pa	arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years				Ш	
D7.44*		and substance requirements					
P7.11*		cover/housing material type: type: <i>ABS</i> Material type: <i>HIPS</i> Materia	al type: PC/ABS	•			
P7.12		I cable insulation materials of power cables are PVC free.	artype. P C/ADS		\square		
P7.13		I cable insulation materials of signal cables are PVC free				\blacksquare	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				\vdash	
P7.15							
1 7.10	Note B2	. , , ,	312 10 2 2 11 (OO	<u> </u>			
P7.16							
	Marking:						
P7.17	Alt. 1	d an ariffication of flows and and onto in maintaid aircrit because a CF a faith and a common					
		al specifications of flame retardants in printed circuit boards >25g (without compone additive) . TBBPA (reactive) . Other; chemical name:	ents):				
	IDDPA ((additive), TBBPA (reactive), Other; chemical name: , CAS #:					
	Alt. 2						
		al specifications of flame retardants in printed circuit boards (without components) >	>25g according	\boxtimes			
		3-4: FR(16)					
P7.18	Alt. 1	standed plactic parts > 25g contain the following flame retardant substances	/proporations i	,			
		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations i	п	Ш	Ш	
		ent: No legal limits exist, this is a market requirement.					
		ical name: , CAS #:					
		ical name: , CAS #:					
	3. Chemical name: , CAS #:						
	Alt. 2	d anasifications of flows retardants in plactic marts (OF- asserting 100, 4040, 4					
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(17), FR(16), FR(50)		\square			
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% clas	sified as R45,		Ħ	$\overline{}$	

%.

and max. mercury content per lamp:

mg

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Of total plastic parts' weight >25g, recycled material content is

Of total plastic parts' weight >25g, biobased material content is

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

Light sources are free from mercury If mercury is used specify: Number of lamps:

Batteries

P7.20

P7.21 P7.22

P8

P8.2

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	X792dtfe, X792dtme, X792dtpe, X792dtse		
Issue date *	10/13/2010	Logo	LEXMARK.

Product environmental at	environmental attributes - Market requirements (continued) Requirement me					met		
Item					Yes	No	n.a.	
	Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard modes and test method *	for (energy	
Printing	862.8 W	840.4 W	820.7 W		Corporate Standard			
Сору	994 W	862.9 W	925.1 W		Corporate Standard			
Scan	106.4 W	98.3 W	99.6 W		Corporate Standard			
Ready Mode	65.3 W	70.7 W	67 W		Energy Star TEC Test Pr	rocedu	re	
Sleep Mode	16.09 W	16.13 W	16.48 W		Energy Star TEC Test Pr	rocedu	re	
Off Mode	0.003 W	0.003 W	0.016 W		IEC 62301			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W					
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	5.25 kWh/week	5.14 kWh/week	5.17 kWh/weel	k	Energy Star TEC Test Pl	rocedu	re	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ar				
Display resolution* : M	egapixels							
Print Speed * : 48 Image	es per minute				Corporate Standard			
Default time to enter energy sa	ave mode: 30 minutes							
P9.2* Information about	the energy save functio	n is provided with t	ne product.			\boxtimes		
ENERGY STAR® Others specify: <i>BI</i>	s the energy requiremer version: 1.1 Tier: ue Angel (RAL UZ 122	Product category		n/s:		\boxtimes		
P10 Emissions	5 1 1 "	100 0000						
	 Declared according to Mode description 	ISO 9296	Declared A-weighted sound power level L_{WAd} (B)	•	Desktop	nder po	sitions	
1.11			* 4 =		or Desk side opera	ator atte		
Idle 7	* Ready * Duplex Mono Printin	a Normal Mode	* 4.7 * 6.9		25 52			H
Other mode	Simplex Mono Printil	•	6.9		52			
	ng to: 🔀 ISO7779 🗌	ECMA-74		h L _{pAn}	n measurement distance	m)	
P10.2 The product meets	The product meets the accustic poise requirements of the following voluntary program/s: RAL-UZ 122							

Model number *	X792dtfe, X792dtme, X792dtpe, X792dtse		
Issue date *	10/13/2010	Logo	LEXMARK

Product 6	uct environmental attributes - Market requirements (continued) Requirement me			met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ-122	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			$\overline{\Box}$
	Dust 0.6 Ozone <0.05 Styrene 0.36 Benzene <0.02 TVOC 15.6			_
P10.5	Chemical emission requirements of the following voluntary program/s RAL-UZ-122 are met for :	\boxtimes		
	Dust ✓ Ozone ✓ Styrene ✓ Benzene ✓ TVOC ✓			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes		
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		П	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\overline{}$	$\overline{}$	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Wood weight (kg): 15.752			
1 10.1	Product packaging material type(s): Corrugated weight (kg): 11.732			
	Product packaging material type(s): Low Density Polyethylene (LDPE) weight (kg): 2.717			
	High Density Polyethylene (HDPE) = 0.335 kg			
	Paper = 0.604 kg			
D40.0*	Polypropylene (PP) = 0.049 kg		_	_
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🔀, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
D4.4	fiber: 0%			
P14	Additional information (See Note B4)			
P1.1 P2.1	This product uses RoHS exemptions for lead used in small amounts for specific applications. The battery contained within this product should be disposed of properly with the product. The product	tic pro	norke	
F2.1	labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User			
	abeled that the William and Symbol and mediated to such disposal to noted in the product ever	5 Curu		
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be	remov	ed by	the
	customer, however, is designed for easy removal by recyclers and service providers.			
D10.4	Note: The data reported in P10.4 is for the color print test.		T 1/0/	
P10.4	Mono print test results: Ozone – <0.05 mg/h; Styrene - 0.14 mg/h; Benzene – <0.02 mg/h; Dust – 0.3 mg/n <0.05 mg/h			
	Additional company information and company environmental policy may be found at http://lexmark.co			nt
	Specific printer and supply item recycling information for your area may be found at http://lexmark.com	n/recyc	ie	
	Lexmark Sweden is connected to REPA and El-kretsen			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19