



**ISO/IEC 19752 Yield Test Report**

X264, X363, X364 High Yield Print Cartridge

Printer: X360

Declaration of Yield:	<b>Average Cartridge Yield</b>	<b>9000</b>	<b>standard pages</b>
	<b>Declared yield value in accordance with ISO/IEC 19752</b>		

**Average** 9780  
**Std Dev** 347  
**90% Lower Confidence** 9565

**For questions concerning testing contact:**

Lexmark International Inc.  
 740 West New Circle Rd.  
 Lexington, Ky. 40550 USA  
 Attn: Laser Supplies Product Manager

**Date tested**      **start** 12-Nov-2008      **stop** 15-Jan-2009

Number of cartridges in testing	9
Qty. of cartridges used in calculation	9
Shake Procedure	1st shake At toner low 2nd shake At fade
Print mode	Continuous
Number of printers tested	3
Media used	Hammermill Tidal MP - 20# - Letter - 20# - Letter
Paper feed orientation	Short Edge Feed (SEF)
Driver version	Gold 5
Operating system	Windows XP
Application software	Acrobat version 7.0.9
Test page version	19752_Test_Chart_Ver.200406_.pdf

Cartridge testing data:		Temperature						Humidity			Cartridge Yield	Cartridge used in Calculation
Cartridge	Printer	Avg °F	Avg °C	Max °F	Max °C	Min °F	Min °C	Avg	Max	Min		
CAN083010057	603110	73	23	74	23	72	22	51	53	50	9,799	Yes
CAN083010061	603104	73	23	74	23	72	22	51	53	50	10,227	Yes
CAN08301005E	603154	73	23	74	23	72	22	51	53	50	9,718	Yes
CAN08301005C	603110	73	23	75	24	72	22	51	53	49	9,580	Yes
CAN08301005D	603104	73	23	75	24	72	22	51	53	49	9,966	Yes
CAN083010063	603154	73	23	75	24	72	22	51	53	49	10,323	Yes
CAN08301005A	603110	73	23	75	24	73	23	51	53	50	9,519	Yes
CAN083010060	603104	73	23	75	24	73	23	51	53	50	9,661	Yes
CAN083010062	603154	73	23	75	24	73	23	51	53	50	9,226	Yes

**Comments and or exceptions:**